



## COMPUTATIONAL AND STATISTICAL THINKING FOR MIDDLE (JUNIOR HIGH) SCHOOL LEVEL


ROBERTO ARAYA CIAE - IE UNIVERSITY OF CHILE

















































































































FIRST 17
DEATHS

Case	Gen der	Age	1st sympt	Comor bidity	Surg	1st sympt to death, days
1	M	61	Fever	yes	NA	20
2	M	69	Fever	yes	NA	16
3	M	89	No Fever	yes	NA	10
4	M	89	No Fever	yes	Yes	6
5	M	66	Fever	yes	Yes	10
6	M	75	Fever	yes	Yes	14
7	F	48	Fever	yes	NA	41
8	M	82	No Fever	NA	NA	12
9	M	66	No Fever	NA	NA	30
10	M	81	Fever	NA	NA	11
11	F	82	Fever	yes	NA	19
12	M	65	No Fever	NA	NA	13
13	F	80	Fever	yes	NA	11
14	M	53	Fever	NA	NA	20
15	M	86	No Fever	yes	Yes	19
16	F	70	Fever	NA	NA	8
17	M	84	Fever	yes	Yes	16

814 DEATHS
37,595 CASES

6,196 SEVERE CONDITION






1st symptom to death >=16 days 8 cases 1st symptom to death < 16 days 9 cases

Age <= 69

Age > 69

1st symptom to death >=16 days 5 cases 1st symptom to death < 16 days 2 cases 1st symptom to death >=16 days 3 cases 1st symptom to death < 16 days 7 cases



## COMPUTATIONAL AND STATISTICAL THINKING FOR MIDDLE (JUNIOR HIGH) SCHOOL LEVEL

ROBERTO ARAYA CIAE - IE UNIVERSITY OF CHILE





